

MED APPROVED COMPASSES



DECK MOUNT

6" : B6W2

5" : B6W5 - BW2 - BW4

4" : BU2 - BU4 - BU5 - BU7

3" : BZ3

2"3/4 : BA3

FLUSH MOUNT HORIZONTAL

6" : B6W3

5" : B6W1 - BW1 - BW3

4" : BU1 - BU3

3" : BZ1

2"3/4 : BA1

FLUSH MOUNT VERTICAL

4" BP2

3" BP1

BRACKET MOUNT

3" : BZ2

2" 3/4 : BA2



Riviera
GENOVA

Manufacturing marine solutions 100% Made in Italy



DECK MOUNT

B6W2 **6"**



Gimbal type:	Internally gimballed
Lighting:	24V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

- 62.00133.01 Stainless steel 5° Black card
- 62.00134.01 Stainless steel 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.
The B6W6 compasses have the stainless steel cover included



B6W5 **5"**



Gimbal type:	Internally gimballed
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

- 62.00084.01 Black 5° Black card - high speed
- 62.00083.01 Black 2° Black card - high speed
- 62.00076.01 Black 5° Black card
- 62.00075.01 Black 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.



BW2 **5"**



Gimbal type:	Internally gimballed
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES

- 62.00021.01 Black 5° Black card - high speed
- 62.00021.10 Black 5° Red card - high speed
- 62.00023.01 Black 2° Black card - high speed
- 62.00025.01 Black 5° Black card
- 62.00027.01 Black 2° Black card

DM 587/200 included. MED certificate on request RINA certification approved, on request.



BW4 **5"**



Gimbal type:	Internally gimballed
Lighting:	24 V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES

- 62.00056.01 Black 5° Black card - high speed
- 62.00056.10 Black 2° Red card - high speed
- 62.00140.01 Black 2° Black card - high speed
- 62.00055.01 Black 5° Black card
- 62.00054.01 Black 2° Black card
- 62.00113.01 White 5° Black card
- 62.00141.01 White 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.



BU2 **4"**



Gimbal type:	Internally gimballed
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm

ORDER CODES

- 62.00038.01 Black 5° Black card - high speed
- 62.00038.10 Black 5° Red card - high speed
- 62.00037.01 Black 5° Black card
- 62.00152.01 Black 2° Black card
- 62.00506.01 White 5° White card

DM 586/200 included. MED certificate on request RINA certification approved, on request.



BU4 **4"**



Gimbal type:	Internally gimballed
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm

ORDER CODES

- 62.00042.01 Black 5° Black card - high speed
- 62.00042.10 Black 5° Red card - high speed
- 62.00041.01 Black 5° Black card
- 62.00150.01 Black 2° Black card
- 62.00507.01 White 5° White card

DM 586/200 included. MED certificate on request RINA certification approved, on request.



BU5 **4"**



Gimbal type:	Internally gimballed
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm

ORDER CODES

- 62.00158.01 Black 5° Black card - high speed
- 62.00158.10 Black 5° Red card - high speed
- 62.00112.01 Black 5° Black card
- 62.00157.01 Black 2° Black card
- 62.00103.01 White 5° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.



BU6-7 **4"**



Gimbal type:	Internally gimballed
Lighting:	LED 12V standard (LED 24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	4" - 100 mm

ORDER CODES

- 62.00126.01 Stainless steel - 5° Black card - high speed - White lubber line BU6
- 62.00125.01 Stainless steel - 5° Black card - White lubber line BU6
- 62.00128.01 Stainless steel - 5° Black card - high speed - Red lubber line BU7
- 62.00127.01 Stainless steel - 5° Black card - Red lubber line BU7

DM 586/200 included. MED certificate on request RINA certification approved, on request.





DECK MOUNT

BZ3**3"**

Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	3" - 80 mm

ORDER CODES

62.00147.01 Black Black card - high speed
62.00148.01 Black Black card
62.00314.01 Grey Blue card - high speed
62.00315.01 Grey Blue card
62.00314.02 White Black card - high speed
62.00315.02 White Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.

BA3**2" 3/4**

Gimbal type:	Internally half gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	2" 3/4 - 70 mm

ORDER CODES

62.00116.01 Black Black card
62.00305.01 Grey Blue card
62.00305.02 White Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.



FLUSH MOUNT HORIZONTAL

B6W3**6"**

Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

62.00100.01 Black 5° Black card - high speed
62.00099.01 Black 2° Black card - high speed
62.00078.01 Black 5° Black card
62.00077.01 Black 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.

B6W1**5"**

Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

62.00082.01 Black 5° Black card - high speed
62.00081.01 Black 2° Black card - high speed
62.00074.01 Black 5° Black card
62.00073.01 Black 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.

BW1**4"**

Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES

62.00013.01 Black 5° Black card - high speed
62.00013.10 Black 2° Red card - high speed
62.00015.01 Black 2° Black card - high speed
62.00017.01 Black 5° Black card
62.00019.01 Black 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.

BW3**5"**

Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES without protective cover

62.00053.01 Black 5° Black card - high speed
62.00053.10 Black 5° Red card - high speed
62.00142.01 Black 2° Black card - high speed
62.00052.01 Black 5° Black card
62.00051.01 Black 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request.

BU1**4"**

Gimbal type:	Internally gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm

ORDER CODES

62.00036.01 Black 5° Black card - high speed
62.00036.10 Black 5° Red card - high speed
62.00035.01 Black 5° Black card
62.00151.01 Black 2° Black card
62.00318.01 White 5° White card

DM 586/200 included. MED certificate on request RINA certification approved, on request.








BU3**4"**

Gimbal type:	Internally gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm

ORDER CODES

62.00040.01 Black 5° Black card - high speed
62.00040.10 Black 5° Red card - high speed
62.00039.01 Black 5° Black card
62.00153.01 Black 2° Black card
62.00321.01 White 5° Blue card - high speed

DM 586/200 included. MED certificate on request RINA certification approved, on request.





FLUSH MOUNT HORIZONTAL

BZ1**3"**

Gimbal type:	Internally gimbale
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	3" - 80 mm

ORDER CODES without protective cover

62.00144.01 Black Black card
62.00311.01 Grey Blue card
62.00311.02 White Black card
62.00143.01 Black Black card - high speed
62.00309.01 Grey Blue card - high speed
62.00309.02 White Black card - high speed

ORDER CODES without protective cover

62.00643.00 Black Black card
62.00643.02 Grey Blue card
62.00643.01 White Black card
62.00581.00 Black Black card - high speed
62.00581.02 Grey Blue card - high speed
62.00581.01 White Black card - high speed
62.00581.03 White Blue card - high speed

No approvals needed for navigation within 6 miles. MED certification on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation.

BA1**2" 3/4**

Gimbal type:	Internally half gimbale
Lighting:	12V standard 24V on request
Reading:	Rear
Card graduations:	5°
Apparent card dia:	2" 3/4 - 70 mm

ORDER CODES

62.00114.01 Nera Rosa nera / Black Black card
62.00301.01 Grigia Rosa blu / Grey Blue card
62.00301.02 Bianca Rosa nera / White Black card

No approvals needed for navigation within 6 miles. MED certification on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation.



FLUSH MOUNT VERTICAL





BP2**4"**

Gimbal type:	Internally gimbale
Lighting:	LED 12V standard (LED 24V on request)
Reading:	Direct
Card graduations:	5°
Apparent card dia:	4" - 100 mm

ORDER CODES

62.00044.05 Black White card
62.00044.02 Black Black card
62.00044.03 Black Red card
62.00044.04 Black Blue card
62.00509.01 White White card
62.00509.02 White Black card
62.00509.03 White Red card
62.00509.04 White Blue card

MED certification on request

**BP1****4"**

Gimbal type:	Internally gimbale
Lighting:	LED 12V standard (LED 24V on request)
Reading:	Direct
Card graduations:	5°
Apparent card dia:	3" - 80 mm

ORDER CODES

62.00043.05 Black White card
62.00043.02 Black Black card
62.00043.03 Black Red card
62.00043.04 Black Blue card
62.00508.01 White White card
62.00508.02 White Black card
62.00508.03 White Red card
62.00508.04 White Blue card

MED certification on request



BRACKET MOUNT

BZ2**3"**

Gimbal type:	Internally gimbale
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	3" - 80 mm

ORDER CODES

62.00145.01 Black Black card - high speed
62.00146.01 Black Black card
62.00312.01 Grey Blue card - high speed
62.00313.01 Grey Blue card
62.00312.02 White Black card - high speed
62.00313.02 White Black card

No approvals needed for navigation within 6 miles. MED certification on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation. Canvas hood available.


BA2**2" 3/4**

Gimbal type:	Internally half gimbale
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	2" 3/4 - 70 mm



ORDER CODES

62.00115.01 Black Black card
62.00304.01 Grey Blue card
62.00304.02 White Black card

No approvals needed for navigation within 6 miles. MED APPROVED COMPASSES on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation.



Card graduations 5°





www.rivieragenova.it



Riviera Srl | 16138 Genova | tel. 010 8355286 | email: info@rivieragenova.it